



Product Name: 24·7 SMARTRACE ADULT SHEEP ORAL BOLUSES  
APVMA Approval No: 88817/122395

Label Name:	24·7 SMARTRACE ADULT SHEEP ORAL BOLUSES
-------------	-----------------------------------------

Signal Headings:	FOR ANIMAL TREATMENT ONLY
------------------	---------------------------

Constituent Statements:	Each 48 g bolus contains: 762 mg Iodine (as calcium iodate), 146 mg Cobalt (as basic cobalt (II) carbonate) and 66 mg Selenium (as sodium selenate).
-------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------

Claims:	<p>Intraruminal boluses to supplement the trace elements iodine, cobalt and selenium for production and/or breeding in adult sheep over 40 kg liveweight.</p> <p>KEEP OUT OF REACH OF CHILDREN</p> <p>24·7 SMARTRACE ADULT SHEEP ORAL BOLUSES are for the oral administration of iodine, cobalt and selenium to sheep over 40 kg liveweight.</p> <p>24·7 SMARTRACE ADULT SHEEP ORAL BOLUSES lie in the ruminoreticulum, the wrapper on the bolus dissolves and the bolus splits into two parts. These erode and dissolve, thus providing a supply of trace elements to the animal for at least 4 months following administration.</p>
---------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Net Contents:	50 x 48 g boluses
---------------	-------------------

Directions for Use:	
---------------------	--

Restraints:	
-------------	--

Contraindications:	<p>This product is contraindicated for use unless cobalt deficiency is confirmed.</p> <p>This product is contraindicated for use in sheep that are dehydrated or unwell.</p> <p>This product is contraindicated for use when selenium intake from pasture is high or selenium is provided by other means (such as top dressing, vaccine, pellets or selenium drenches) if blood selenium levels at treatment are high. Users can determine selenium status by consulting their veterinarian.</p> <p>DO NOT administer additional iodine, cobalt or selenium for at least 6 months following treatment, unless under veterinary advice.</p>
--------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Precautions:	Minerals such as copper, cobalt, selenium, iron, manganese and molybdenum compete with each other for metabolically important processes in the animal. Users should seek veterinary advice before treatment.
--------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Side Effects:	
---------------	--

Dosage and Administration:	<p>Administer orally using only an approved Agrimin bolus applicator.</p> <p>Dosage: One (1) bolus should be administered per animal weighing over 40 kg.</p> <p>Administration: Bolus administration requires care and attention with sheep. NEVER use force or push the applicator too far down the animal's throat.</p> <p>1. Load the applicator.  <ul style="list-style-type: none"> <li>✓ Insert one (1) bolus into the head of the applicator.</li> <li>✗ DO NOT remove the paper wrapper.</li> </ul> [Image 1]</p> <p>2. Position the applicator.  <ul style="list-style-type: none"> <li>✓ Gently insert the applicator into the mouth and guide over the back of the tongue.</li> <li>✓ Keep the applicator straight with the handle in front of the nose.</li> <li>✓ Keep the head up and neck straight.</li> <li>✗ DO NOT use severe restraint such as gripping the tongue or holding the head too high.</li> </ul> [Image 2]</p> <p>3. Release the bolus.  <ul style="list-style-type: none"> <li>✓ As the animal begins to swallow, gently eject the bolus. Apply pressure to depress the plunger</li> <li>✗ DO NOT push the bolus applicator too far into the throat.</li> <li>✗ DO NOT use force as you may damage the sheep's throat.</li> <li>✗ The bolus cannot be swallowed if the head is pointing down.</li> </ul> [Image 3]</p> <p>24·7 SMARTRACE ADULT SHEEP ORAL BOLUSES have an active life of 4 months.</p>
----------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

General Directions:	
---------------------	--

Withholding Periods:	MEAT: Zero (0) days MILK: Zero (0) days
----------------------	--------------------------------------------

Trade Advice:	Export Slaughter Interval (ESI): Zero (0) days.
---------------	-------------------------------------------------

Safety Directions:	
--------------------	--

First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.
-------------------------	----------------------------------------------------------------------------------------------

First Aid Warnings:	
---------------------	--

Additional User Safety:	
-------------------------	--

Environmental Statements:	
---------------------------	--

Disposal:	Dispose of container by wrapping with paper and putting in garbage.
-----------	---------------------------------------------------------------------

Storage:	Store below 25°C (air conditioning) in original container. Protect from light.
----------	--------------------------------------------------------------------------------