Product Name: 24·7 SMARTRACE GROWING CATTLE

APVMA Approval no: 88475/121399



Label Name:	24·7 SMARTRACE GROWING CATTLE ORAL BOLUSES
Signal Headings:	FOR ANIMAL TREATMENT ONLY
Constituent Statements:	Each 130g bolus contains: 3363 mg IODINE (as calcium iodate) 394 mg COBALT (as basic cobalt (II) carbonate) and 179 mg SELENIUM (as sodium selenate)
Claims:	Intraruminal bolus to supplement the trace elements iodine, cobalt and selenium for production and/or breeding in growing cattle between 200-400 kg liveweight for up to 6 months.
	24·7 SMARTRACE GROWING CATTLE ORAL BOLUSES lie in the rumenoreticulum, the wrapper on the bolus dissolves and the bolus splits into two parts. These erode and dissolve, thus providing a supply of trace elements to the animal for up to 6 months, with the greatest release over the first 4 months following administration.
Net Contents:	10 x 130 g Boluses
Directions for Use:	
Restraints:	
Contraindications:	SHOULD NOT BE ADMINISTERED TO CATTLE LESS THAN 5 MONTHS OF AGE. This product is contraindicated for use unless cobalt deficiency is confirmed. This product is contraindicated for use when selenium intake from pasture is high or selenium is provided by other means (such as top dressing, vaccine, pellets or selenium drenches), if blood selenium levels at treatment are high. Users can determine selenium status by consulting their veterinarian. DO NOT administer additional iodine, cobalt or selenium for at least 6 months following treatment, unless under veterinary advice.

Precautions:	Minerals such as copper, cobalt, selenium, iron, manganese and molybdenum compete with each other for metabolically important processes in the animal. Users should seek veterinary advice before treatment.
Side Effects:	
Dosage and Administration:	Administer orally using only an approved Agrimin bolus applicator. Dosage: One (1) bolus should be administered per animal weighing between 200-400 kg. Administration: [see attachment]
	24·7 SMARTRACE GROWING CATTLE ORAL BOLUSES provide iodine, cobalt and selenium for up to 6 months. This section contains file attachment.
General Directions:	
Withholding Periods:	MEAT: Zero (0) days MILK: Zero (0) days
Trade Advice:	Export Slaughter Interval (ESI): Zero (0) days.
Safety Directions:	
First Aid Instructions:	If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
First Aid Warnings:	
Additional User Safety:	
Environmental Statements:	
Disposal:	Dispose of container by wrapping with paper and putting in garbage.
Storage:	KEEP OUT OF REACH OF CHILDREN
	Store below 25°C (Air Conditioning) in original container. Protect from light.

Administration:

1. Insert one (1) bolus into the head of the applicator.

2. Insert the applicator into the animal's mouth.

- ✓ Restrain the animal with the head in the forward position.
- √ Keep the neck straight.
- ✓ Insert the applicator carefully from the front of the mouth (not the side) and over the back of the tongue.



- **X** DO NOT use severe restraint such as gripping the tongue, or holding the head too high.
- **X** If you are using a crush, be sure the 'v' of the gate does not press against the throat. This interferes with swallowing.

3. Release

- ✓ As the animal begins to swallow, gently eject the bolus.
- **X DO NOT** push the bolus applicator too far down the throat.
- **X** DO NOT use force as you may damage the animal's throat.
- ✓ Take care and time.

